



## ARCHITECTURAL HINGES

### THREE KNUCKLE HINGES (CONTINUED)



#### WTAB700

**Concealed Anti-Friction Bearing - Standard Weight - Wide Throw**  
Steel with steel pin (ANSI A8112)

#### WTAB800

**Concealed Anti-Friction Bearing - Standard Weight - Wide Throw**  
Brass with stainless steel pin (ANSI A2112) or stainless steel with stainless steel pin (ANSI A5112)

- Wide throw
- Non-rising removable pin with flush pin and plug
- For use on medium weight doors or doors requiring medium frequency service



#### AB750

**Concealed Anti-Friction Bearing - Heavy Weight**  
Steel with steel pin (ANSI A8111)

#### AB850

**Concealed Anti-Friction Bearing - Heavy Weight**  
Brass with stainless steel pin (ANSI A2111) or stainless steel with stainless steel pin (ANSI A5111)

- Non-rising removable pin with flush pin and plug
- AB850 available with SecureCoat® Lifetime finish (US3SC)
- For use on heavy weight doors or doors requiring high frequency service

Hinge Size		Gauge of Metal	Hole Count	Screw Size	
Inches	mm			Machine	Wood
4-1/2 x 5	114 x 127	0.134	8	1/2 x 12-24	1-1/4 x 12
4-1/2 x 6	114 x 152	0.134	8	1/2 x 12-24	1-1/4 x 12
4-1/2 x 7	114 x 178	0.134	8	1/2 x 12-24	1-1/4 x 12
4-1/2 x 8	114 x 203	0.134	8	1/2 x 12-24	1-1/4 x 12
5 x 6	127 x 152	0.145	8	1/2 x 12-24	1-1/4 x 12
5 x 7	127 x 178	0.145	8	1/2 x 12-24	1-1/4 x 12
5 x 8	127 x 203	0.145	8	1/2 x 12-24	1-1/4 x 12

Hinge Size		Gauge of Metal	Hole Count	Screw Size	
Inches	mm			Machine	Wood
4-1/2 x 4-1/2	114 x 114	0.180	8	1/2 x 12-24	1-1/4 x 12
5 x 4-1/2	127 x 114	0.190	8	1/2 x 12-24	1-1/4 x 12
5 x 5	127 x 127	0.190	8	1/2 x 12-24	1-1/4 x 12
6 x 4-1/2	152 x 114	0.203	10	1/2 x 1/4-20	1-1/2 x 14
6 x 5	152 x 127	0.203	10	1/2 x 1/4-20	1-1/2 x 14
6 x 6	152 x 152	0.203	10	1/2 x 1/4-20	1-1/2 x 14

